















- High current, low DCR,




- HVAC




Part No	Inductance @ 100KHz/1V (μH)	Tolerance	Temperature Rise Current Typ. (A)	Temperature Rise Current Max. (A)	Saturation Current Typ. (A)	Saturation Current Max. (A)	DC Resistance Typ. (mΩ)	DC Resistance Max. (mΩ)
MDTA20121A-R10M		±20%					8	
MDTA20121A-R22M		±20%					16	22
MDTA20121A-R24M		±20%					17	
		±20%					24	
MDTA20121A-R47M		±20%					29	
MDTA20121A-R68M		±20%						
MDTA20121A-1R0M		±20%						
		±20%					76	
MDTA20121A-2R2M		±20%						



:









MDTA20121A	$1.5 \pm 0.1$	$2.3 \pm 0.1$	$1.5 \pm 0.1$	$4.0 \pm 0.1$	$4.0 \pm 0.1$	$8.0 \pm 0.1$	$1.2 \pm 0.1$	$1.75 \pm 0.1$	$0.25 \pm 0.05$
------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	----------------	-----------------



The peel force of top cover tape shall be between 0.1 to 0.98 N

:



3000 Pcs/Reel

5 Reel /Inner box( 15K Pcs)

8 Inner box/Carton box(120K Pcs)

:

- 
- 
- 
- 
- 
- 
- 
- 
-